

Section 1 - Identification of The Material and Supplier

Ensystem Co., Ltd.
8/351 Moo 3 Baanmai, Pakkret
Nonthaburi 11120
025830495

Chemical nature: Insecticide smoke generator containing deltamethrin
Trade Name: **FUMITHOR™ DELTA Insecticide Smoke Generator**
Product Use: Insecticide for use as described on the product label.
Creation Date: **February, 2014**
This version issued: **December, 2020** and is valid for 5 years from this date.

Section 2 - Hazards Identification**Statement of Hazardous Nature**

This product is classified as: O, Oxidising. Xn, Harmful. N, Dangerous to the environment. Hazardous according to the criteria of SWA. Explosive when mixed with combustible material.

Risk Phrases: R5, R9, R20/22, R50/53. Heating may cause an explosion. Explosive when mixed with combustible material. Harmful by inhalation and if swallowed. Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment.

Safety Phrases: S2, S13, S16, S17, S23, S24, S38, S41, S45. Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Keep away from sources of ignition - No smoking. Keep away from combustible material. Do not breathe smoke. Avoid contact with skin. In case of insufficient ventilation, wear suitable respiratory equipment. In case of fire and/or explosion, do not breathe fumes. In case of accident or if you feel unwell, contact a doctor or Poisons Information Centre immediately (show this SDS where possible).

SUSMP Classification: S6

ADG Classification: Division 5.1, Oxidising Substances.

UN Number: 1479

GHS Classification: Oxidizing Solids – category 1
Acute toxicity (oral) – category 5
Eye irritation – category 2
Acute aquatic toxicity – category 1
Chronic aquatic toxicity – category 1



GHS Signal word: DANGER

HAZARD STATEMENT:

H271: May cause fire or explosion; strong oxidizer.

H303: May be harmful if swallowed.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

PREVENTION

P102: Keep out of reach of children.

P210: Keep away from heat, hot surface, sparks, open flames and other ignition sources – No smoking.

P260: Do not breathe dusts or smoke.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P281: Use personal protective equipment as required.

SAFETY DATA SHEET

RESPONSE

P312: Call a POISON CENTRE or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam.

P371+P380+P375: In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

STORAGE

P402: Store in a dry place.

P410: Protect from sunlight.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

Emergency Overview

Physical Description & colour: Ring-pull metal tin with label containing a light grey powder.

Odour: Characteristic odour.

Major Health Hazards: Symptoms and consequences of deltamethrin poisoning include: sweating, fever, anxiety and rapid heartbeat. If swallowed, symptoms are likely to include feeling sick, vomiting, diarrhoea, twitching of arms and legs, and convulsions if poisoning is severe. Studies have shown many cases of dermal deltamethrin poisoning after agricultural use with inadequate handling precautions, and many cases of accidental or suicidal poisoning by the oral route at doses estimated to be 2-250 mg/kg. Oral ingestion caused epigastric pain, nausea, vomiting and coarse muscular fasciculations. With doses of 100-250 mg/kg, coma was caused within 15-20 minutes. Harmful by inhalation and if swallowed, repeated exposure may cause skin dryness or cracking, vapours may cause drowsiness.

Potential Health Effects

Inhalation:

Short term exposure: May cause anesthetic or narcotic effect.

Long Term exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short term exposure: May cause an allergic skin reaction. However, this product is packed in metal tin, it should present no hazard in normal use.

Long Term exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short term exposure: This product causes eye irritation.

Long Term exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short term exposure: Significant oral exposure is considered to be unlikely. This product may be irritating to mucous membranes.

Long Term exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: Deltamethrin is Class 3 - unclassifiable as to carcinogenicity to humans.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc, %	TWA (mg/m ³)	STEL (mg/m ³)
Deltamethrin	52918-63-5	2	not set	not set
Potassium chlorate	3811-04-9	20-50	not set	not set
Ammonium chloride	12125-02-9	10-20	10	20
Other non-hazardous ingredients		to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non-hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5-day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call a doctor if you feel that you may have been poisoned, burned or irritated by this product. Have this SDS with you when you call.

Inhalation: If symptoms of poisoning become evident, contact a Poisons Information Centre, or call a doctor at once. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

Skin Contact: Wash skin vigorously and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until product is removed. Do not use solvents or oils.

Eye Contact: Quickly and gently brush particles from eyes. Flush contaminated eye(s) with lukewarm, gently flowing water for 15 minutes or until the product is removed, while holding eyelids open. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor immediately. Keep calm.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: There is a moderate risk of an explosion from this product if commercial quantities are involved in a fire. Fire-fighters should take care and appropriate precautions. Fire decomposition products from this product are likely to be toxic if inhaled. This product is a smoke generation device and when ignited will give off smoke containing deltamethrin. Take appropriate protective measures.

Extinguishing Media: In case of fire, use carbon dioxide, dry chemical, foam.

Fire Fighting: When fighting fires involving significant quantities of this product, wear a fully encapsulated splash suit complete with self-contained breathing apparatus. Cool undamaged containers exposed to fire with water spray.

Flash point: 87 °C **Upper Flammability Limit:** No data.

Lower Flammability Limit: No data. **Autoignition temperature:** No data.

Flammability Class: No data.

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Use impermeable gloves with care. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that dusts are likely to build up in clean-up area, we recommend that you use a suitable Dust Mask.

Otherwise, not normally necessary. Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions.

SAFETY DATA SHEET

After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Schedule 6 Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Keep containers dry and away from water. Keep containers of this product in a well ventilated area. Keep away from heat and flame. Keep away from sources of ignition such as sparks and open flames. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits	TWA (mg/m³)	STEL (mg/m³)
Ammonium chloride	10	20

The ADI for deltamethrin is set at 0.01 mg/kg/day. The corresponding NOEL is set at 1 mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2013. No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when product is being used.

Skin Protection: You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling product. See below for suitable material types.

Protective Material Types: There is no specific recommendation for any particular protective material type.

Respirator: The use of a half-face piece respirator is recommended during and after application of the product, including during early re-entry into the treated area.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Ring-pull metal tin with label containing a light grey powder.
Odour:	Characteristic odour
Boiling Point:	Not available
Freezing/Melting Point:	No specific data. Solid at normal temperatures
Volatiles:	No data
Vapour Pressure:	No data
Vapour Density:	Not applicable
Density:	0.89 g/cm ³
Water Solubility:	Insoluble
pH:	No data
Volatility:	No data
Evaporation Rate:	Not applicable

SAFETY DATA SHEET

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: This product should be kept in a cool place, preferably below 30 °C. Keep containers tightly closed. Containers should be kept dry. Keep containers and surrounding areas well ventilated.

Incompatibilities: Strong oxidising agents.

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form oxides of sulphur (sulphur dioxide is a respiratory hazard) and other sulphur compounds. Most will have a foul odour. May form hydrogen chloride gas, other compounds of chlorine. Potassium compounds, deltamethrin. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Toxicity: The statement has been derived from the properties of the individual ingredients.

Acute oral toxicity: LD50 in rat > 2,000 mg/kg (estimated from ingredients)

Acute dermal toxicity: Based on this available data, the classification criteria are not met.

Acute inhalation toxicity: Based on this available data, the classification criteria are not met.

Skin corrosion/irritation: Based on this available data, the classification criteria are not met.

Serious eye damage/irritation: Ammonium chloride causes serious eye irritation.

Respiratory or skin sensitisation: Based on this available data, the classification criteria are not met.

Germ cell mutagenicity: Product does not contain any compounds with germ cell mutagenicity hazard

Carcinogenicity: Product does not contain any compounds with carcinogenic hazard

Reproductive toxicity: Product does not contain any compounds with reprotoxic hazard

Specific target organ toxicity (STOT) – single exposure: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) – repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Classification of Hazardous Ingredients

Ingredient	Risk Phrases
No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations	

Section 12 - Ecological Information

Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment. This product is unlikely to adversely affect the environment.

Effects on Birds: 8-day LC₅₀ for ducks >4,640 mg/kg diet; and 10,000 mg/kg diet for quail.

Effects on Aquatic Organisms: As is common with many pyrethroids, deltamethrin has a high toxicity to fish under laboratory conditions. In field conditions, fish are not harmed. In laboratory trials, the LC₅₀ for fish was 1-10 µg/L. Aquatic fauna, particularly crustacea, may be affected, but fish are not harmed under normal conditions of use.

Effects on Other Animals (Non-target species): Deltamethrin is considered toxic to bees.

ENVIRONMENTAL FATE

Breakdown of Chemical in Soil and Groundwater: In soil, degradation occurs within 1-2 weeks.

Breakdown of Chemical in Surface Water: Deltamethrin in pond water was rapidly adsorbed, mostly by sediment, in addition to uptake by plants and evaporation into the air.

Breakdown of Chemical in Vegetation: About 10 days after use, there are no deltamethrin residues observed on plants. There is no known phytotoxicity to crops.

SAFETY DATA SHEET

Section 13 - Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/>.

Section 14 - Transport Information

UN number: 1479
UN proper shipping name: OXIDIZING SOLID, N.O.S. (Potassium chlorate)
Transport class: 5.1
Packing group: III
Environmentally hazardous: Yes

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

Section 16 - Other Information

If there is any conflict between this SDS and the registered label, directions on the label prevail.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)
AICS Australian Inventory of Chemical Substances
SWA Safe Work Australia, formerly ASCC and NOHSC
CAS number Chemical Abstracts Service Registry Number
Hazchem Code Emergency action code of numbers and letters that provide information to emergency services
IARC International Agency for Research on Cancer
NOS Not otherwise specified
NTP National Toxicology Program (USA)
R-Phrase Risk Phrase
SUSMP Standard for the Uniform Scheduling of Medicines & Poisons
UN Number United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.