#### Section 1 - Identification of the Material and Supplier

Ensystex Australasia Pty Ltd Unit 3, The Junction Estate AUBURN, NSW 2144 13 35 36 (all hours)

Chemical nature:	Chlorfluazuron-based termite bait
Trade Name:	LABYRINTH <sup>®</sup> MAXX
Product Use:	Insect development inhibitor type insecticide
Creation Date:	January, 2020
This version issued:	January, 2025 and is valid for 5 years from this date.

#### Section 2 - Hazards Identification

#### **Statement of Hazardous Nature**

This product is classified as: Not classified as hazardous according to the criteria of SWA.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Risk Phrases: R52. Harmful to aquatic organisms.

**Safety Phrases:** S61. Avoid release to the environment. Refer to special instructions/Safety Data Sheets. **SUSMP Classification:** None allocated.

**ADG Classification:** None allocated. Not a Dangerous Good under the ADG Code, IATA or IMSBC criteria. **UN Number:** None allocated

# GHS Signal word: NONE.

#### HAZARD STATEMENT:

H402: Harmful to aquatic life.

PREVENTION

P233: Keep container tightly closed.

P273: Avoid release to the environment.

P235+P410: Keep cool. Protect from sunlight.

#### RESPONSE

P309: If exposed or if you feel unwell, seek medical attention.

P335: Brush off loose particles from skin.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam.

#### STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

## DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

#### **Emergency Overview**

Physical Description & colour: White to pale yellow powder Odour: No odour.

Major Health Hazards: no significant risk factors have been found for this product.

#### **Potential Health Effects**

#### Inhalation:

**Short term exposure:** Available data indicates that this product is not harmful. In addition, product is unlikely to cause any discomfort or irritation.

**Long Term exposure:** Long term inhalation of high amounts of any nuisance dust may overload lung clearance mechanism. No data for health effects associated with long term inhalation.

## SAFETY DATA SHEET

Issued by: Ensystex Australasia Pty Ltd

Phone: 13 35 36 (ALL HOURS)

# Skin Contact:

**Short term exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition, product is unlikely to cause any discomfort in normal use.

Long Term exposure: No data for health effects associated with long term skin exposure.

# Eye Contact:

**Short term exposure:** Available data indicates that this product is not harmful. Dust from this product may be a mechanical irritant if it gets in eyes. Any effects are expected to be temporary.

Long Term exposure: No data for health effects associated with long term eye exposure.

## Ingestion:

**Short term exposure:** Significant oral exposure is considered to be unlikely. This product is unlikely to cause any irritation problems in the short or long term.

Long Term exposure: No data for health effects associated with long term ingestion.

#### **Carcinogen Status:**

SWA: No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients				
Ingredients	CAS No	Conc,%	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Chlorfluazuron	71422-67-8	0.1	not set	not set
Other non-hazardous natural ingredients	various	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non-hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5-day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

## Section 4 - First Aid Measures

## **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned or irritated by this product. The number is 13 11 26 from anywhere in Australia and is available at all times. Have this SDS with you when you call.

**Contact or Poisoning:** From the available evidence, this product offers no significant health hazard by any exposure route. Consequently, First Aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

## **Section 5 - Fire Fighting Measures**

**Fire and Explosion Hazards**: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. This product, if scattered, may form flammable or explosive dust clouds in air.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures. **Extinguishing Media:** In case of fire, use carbon dioxide, dry chemical, foam.

**Fire Fighting:** When fighting fires involving significant quantities of this product, no special equipment is believed to be necessary. Do not scatter spilled material with high pressure water jets.

Flash point:	No data	Upper Flammability Limit:	No data.
Lower Flammability Limit:	No data.	Autoignition temperature:	No data.
Flammability Class:	No data.		

## Section 6 - Accidental Release Measures

**Accidental release:** Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask.

# SAFETY DATA SHEET

Issued by: Ensystex Australasia Pty Ltd

Phone: 13 35 36 (ALL HOURS)

Stop leak and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions.

After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Launder protective clothing before storage or re-use.

## Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. Storage: Store packages of this product in a cool place. Store in the closed original container in a dry, cool, wellventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

#### **Section 8 - Exposure Controls and Personal Protection**

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

#### SWA Exposure Limits TWA (mg/m<sup>3</sup>)

STEL (ma/m<sup>3</sup>)

Exposure limits have not been established by SWA for any of the known significant ingredients in this product. The ADI for Chlorfluazuron is set at 0.005 mg/kg/day. The corresponding NOEL is set at 0.56 mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2013.

No special equipment is usually needed. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: No special requirements.

Eye Protection: Eye protection is not normally necessary when this product is being used. However, if in doubt, wear suitable protective glasses or goggles.

Skin Protection: This product is not considered harmful, and no skin protection is usually necessary.

## Section 9 - Physical and Chemical Properties:

Physical Description & colour: Odour:	White to pale yellow powder No odour.
Boiling Point:	Not available.
Freezing/Melting Point:	No specific data. Solid at normal temperatures.
Volatiles:	None.
Vapour Density:	Not applicable.
Specific Gravity:	Approx 0.25
Water Solubility:	Dispersible.
pH:	Approx 7 when dispersed in water
Evaporation Rate:	Not applicable.
Viscosity:	Not applicable.

## Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf-life properties.

Conditions to Avoid: This product should be kept in a cool place, preferably below 30° C. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong oxidising agents.

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form hydrogen chloride gas, other compounds of chlorine. May form hydrogen fluoride gas and other compounds of fluorine. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** Polymerisation reactions are unlikely; they are not expected to occur.

# SAFETY DATA SHEET

Issued by: Ensystex Australasia Pty Ltd Phone: 13 35 36 (ALL HOURS)

#### Section 11 - Toxicological Information

Target Organs: There is no data to hand indicating any particular target organs.

#### **Classification of Hazardous Ingredients**

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

#### Section 12 - Ecological Information

This product is harmful to aquatic organisms. This product is biodegradable. It will not accumulate in the soil or water or cause long term problems. This product is unlikely to accumulate in body tissues.

#### Section 13 - Disposal Considerations

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ forcontact details for your area.

#### Section 14 - Transport Information

**ADG Code:** This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

#### **Section 15 - Regulatory Information**

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

#### **Section 16 - Other Information**

#### This SDS contains only safety-related information. For other data see product literature.

If there is any conflict between this SDS and the registered label, instructions on the label prevail.

Acronyms:

Issued by: Ensystex Australasia Pty Ltd

ADG Code AICS SWA CAS number	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition) Australian Inventory of Chemical Substances Safe Work Australia, formerly ASCC and NOHSC Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSMP UN Number	Standard for the Uniform Scheduling of Medicines & Poisons United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE. IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

#### Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011)

Phone: 13 35 36 (ALL HOURS)